




- ✓ ZERO chemicals used
- ✓ Highest natural durability rating
- ✓ Environmentally friendly option
- ✓ Healthier and non-toxic
- ✓ Better looking deck
- ✓ Sapwood Free
- ✓ Off-cut disposal simple and safe

## Hurford's Organic Decking range is free of sapwood, eliminating the application of chemical treatment, providing a safe, healthy and non-toxic decking option.

Chemical treating of decking focuses on protecting the sapwood portion of the timber board from insect attack and fungal decay. It is not possible to effectively treat heartwood, as heartwood cells contain special tannins, oils, resins and other extractives that prevent the uptake of wood preservative chemicals.

Hurford's have spent the time to grade out timber boards that contain sapwood so no chemical treatment is required.

The timber species selected for Hurford's Organic Decking range all have the highest Natural Durability rating of Class 1 above ground, so you can be sure your decking is going to last a long time.




**Species:** Ironbark, Eucalyptus paniculata / sideroxylon

**Hardness Rating:** Janka 14

**Bush Fire Rating:** BAL19

**Colour:** Heartwood colour varies from pale brown to dark chocolate brown and also dark red.




**Species:** Spotted Gum (QLD), Corymbia citriodora

**Hardness Rating:** Janka 11

**Bush Fire Rating:** BAL29

**Colour:** Heartwood pale to dark brown to dark chocolate with some reddish tinges.



**Species:** Spotted Gum (NSW), Corymbia maculata

**Hardness Rating:** Janka 11

**Bush Fire Rating:** BAL29

**Colour:** Heartwood pale to dark brown to dark chocolate with some olive green to reddish tinges.

**Natural Durability\*:** Class 1 Above Ground, Naturally Termite Resistant, Expected Life 40+ Years.

**Profile:** Pencil Round, Plain End

**Size:** 136mm x 22mm

**Length:** Random Length (1.2m to 5.7m)

**Grade:** Standard & Better – Generally of a clear appearance with a fine, even texture and usually features an interlocked grain with some surface checking.

\* AS 5604 - Timber Natural Durability Rating



Unightly coloured sapwood can spoil the look of your deck.



**QUALITY TIMBER PRODUCTS**

• **QLD** (07) 3442 6300 • **VIC & TAS** (03) 8794 3300

• **NSW & ACT** (02) 4646 1406 • **SA & NT** (08) 8376 6694 • **WA** 0448 132 955

• **Email** [info@hurfordwholesale.com.au](mailto:info@hurfordwholesale.com.au) • **Web** [www.hurfordwholesale.com.au](http://www.hurfordwholesale.com.au)

